# DOMOND

Issue Date: 01-Jan-2008

Revision Date: 17-Apr-2023

# Safety Data Sheet

Version 4

**1. IDENTIFICATION** 

Product identifier Product Name	Peel Away® 1 Paint Remover
Other means of identification SDS #	DCI-009R
UN/ID No	UN1823
Recommended use of the chemical	and restrictions on use
Recommended Use	Paint remover
Details of the supplier of the safety Supplier Address Dumond, Inc. 253 S. Bailey Road Downingtown, PA 19335	<u>data sheet</u>
Emergency telephone number Company Phone Number	1-609-655-7700

# 2. HAZARDS IDENTIFICATION

Appearance: Light Grey Paste

**Emergency Telephone** 

Physical state: Paste

INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

Odor: None

Skin corrosion/irritation	Category 1 Sub-category A
Serious eye damage/eye irritation	Category 1

Signal Word Danger

Classification

#### Hazard statements

Causes severe skin burns and eye damage



#### **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

#### Precautionary Statements - Response

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### Precautionary Statements - Storage

Store locked up

#### Precautionary Statements - Disposal

Dispose of contents/container to an approved waste disposal plant

# **3. COMPOSITION/INFORMATION ON INGREDIENTS**

Chemical name	CAS No	Weight-%
Calcium Hydroxide	1305-62-0	25-30
Sodium hydroxide	1310-73-2	5-10
Silica, Quartz	14808-60-7	0.001-0.5

\*\*If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Remove contaminate clothing and shoes. Get medical attention if irritation occurs.   Inhalation Remove to fresh air. Immediate medical attention is required.   Ingestion Rinse mouth. Do NOT induce vomiting. If conscious, give water or milk. Get medical attention if necessary.   Most important symptoms and effects, both acute and delayed Symptoms   May cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause severe burns to mouth, th or stomach.   Indication of any immediate medical attention and special treatment needed	4. FIRST AID MEASURES			
Skin ContactWash off immediately with plenty of water for at least 15 minutes. Remove contaminate clothing and shoes. Get medical attention if irritation occurs.InhalationRemove to fresh air. Immediate medical attention is required.IngestionRinse mouth. Do NOT induce vomiting. If conscious, give water or milk. Get medical attention if necessary.Most important symptoms and effects, both acute and delayedMay cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause severe burns to mouth, th or stomach.Indication of any immediate medical attention and special treatment needed Notes to PhysicianTreat symptomatically. Individuals with chronic respiratory or skin diseases may be at ri	Description of first aid measures			
clothing and shoes. Get medical attention if irritation occurs.InhalationRemove to fresh air. Immediate medical attention is required.IngestionRinse mouth. Do NOT induce vomiting. If conscious, give water or milk. Get medical attention if necessary.Most important symptoms and effects, both acute and delayedMay cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, th or stomach.Indication of any immediate medical attention and special treatment needed Notes to PhysicianTreat symptomatically. Individuals with chronic respiratory or skin diseases may be at ritically.	Eye Contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Call a physician immediately.		
Ingestion Rinse mouth. Do NOT induce vomiting. If conscious, give water or milk. Get medical attention if necessary.   Most important symptoms and effects, both acute and delayed   Symptoms May cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause severe burns to mouth, th or stomach.   Indication of any immediate medical attention and special treatment needed Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at right of the second	Skin Contact	Wash off immediately with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs.		
attention if necessary.   Most important symptoms and effects, both acute and delayed   Symptoms May cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, th or stomach.   Indication of any immediate medical attention and special treatment needed   Notes to Physician Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at right or stomach.	Inhalation	Remove to fresh air. Immediate medical attention is required.		
Symptoms May cause severe chemical burns with reddening and pain. May cause dermatitis or irritation in some individuals upon prolonged contact. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, th or stomach.   Indication of any immediate medical attention and special treatment needed   Notes to Physician Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at ri	Ingestion	5 , 5		
irritation in some individuals upon prolonged contact. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, th or stomach.Indication of any immediate medical attention and special treatment neededNotes to PhysicianTreat symptomatically. Individuals with chronic respiratory or skin diseases may be at ri	Most important symptoms and effects, both acute and delayed			
<b>Notes to Physician</b> Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at ri	Symptoms	irritation in some individuals upon prolonged contact. May cause irritation to the mucous membranes and upper respiratory tract. Ingestion may cause severe burns to mouth, throat		
	Indication of any immediate medical attention and special treatment needed			
	Notes to Physician	Treat symptomatically. Individuals with chronic respiratory or skin diseases may be at risk from exposure.		
5. FIRE-FIGHTING MEASURES				

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### Unsuitable Extinguishing Media Not determined.

#### Specific Hazards Arising from the Chemical

At elevated temperatures, containers may rupture. Contents are corrosive and all personal contact must be avoided.

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear. Cool containers with flooding quantities of water until well after fire is out.

#### 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures		
Personal Precautions	Use personal protective equipment as required.	
Environmental precautions		
Environmental precautions	Do not allow into any sewer, on the ground or into any body of water. See Section 12 for additional Ecological Information.	
Methods and material for containm	ent and cleaning up	
Methods for Containment	Prevent further leakage or spillage if safe to do so.	
Methods for Clean-Up	Keep in suitable, closed containers for disposal. Wash spill area with plenty of water. Spills and releases may have to be reported to Federal and/or local authorities. See section 15.	

# 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe HandlingHandle in accordance with good industrial hygiene and safety practice. Wash face, hands<br/>and any exposed skin thoroughly after handling. Do not breathe<br/>dust/fume/gas/mist/vapors/spray. Use only in well-ventilated areas. Do not eat, drink or<br/>smoke when using this product.Conditions for safe storage, including any incompatibilitiesStorage ConditionsStorage ConditionsStore in a cool, well ventilated area away from acids and other incompatible substances.

Store locked up.

# Incompatible Materials Acids. Organic halogen compounds. Nitromethane. Flammable liquid. Metals such as aluminum, tin, and zinc.

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### Exposure Guidelines

Chemical name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Hydroxide	TWA: 5 mg/m <sup>3</sup>	TWA: 15 mg/m <sup>3</sup> total dust	TWA: 5 mg/m <sup>3</sup>
1305-62-0	_	TWA: 5 mg/m <sup>3</sup> respirable fraction	_
		(vacated) TWA: 5 mg/m <sup>3</sup> not in	
		effect as a result of	
		reconsideration	
Sodium hydroxide	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Silica, Quartz	TWA: 0.025 mg/m <sup>3</sup> respirable	TWA: 50 µg/m <sup>3</sup>	IDLH: 50 mg/m <sup>3</sup> respirable dust
14808-60-7	particulate matter	(vacated) TWA: 0.1 mg/m <sup>3</sup>	TWA: 0.05 mg/m <sup>3</sup> respirable
		respirable dust	dust
		: (250)/(%SiO2 + 5) mppcf TWA	
		respirable fraction	
		: (10)/(%SiO2 + 2) mg/m <sup>3</sup> TWA	
		respirable fraction	

### Appropriate engineering controls

Engineering Controls	Apply technical measures to comply with the occupational exposure limits. Use in a well- ventilated location (eg. local exhaust ventilation, fans). Showers. Eyewash stations.	
Individual protection measures, s	uch as personal protective equipment	
Eye/Face Protection	Chemical safety goggles/faceshield. Refer to 29 CFR 1910.133 for eye and face protection regulations.	
Skin and Body Protection	Wear suitable protective clothing. Rubber, neoprene, or other impervious gloves are recommended to prevent skin contact. Selection of specific items such as face shield, boots, apron, or full body suit will depend on the task. Reference Wiley's "Quick Selection Guide to Chemical Protective Clothing". Refer to 29 CFR 1910.138 for appropriate skin and body protection.	
Respiratory Protection	Ensure adequate ventilation, especially in confined areas. For spray application, a NIOSH approved dust respirator and eye protection. Refer to 29 CFR 1910.134 for respiratory protection requirements.	

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

# Information on basic physical and chemical properties

Physical state Appearance Color	Paste White paste White	Odor Odor Threshold	None Not determined
Property pH Melting point / freezing point Boiling point / boiling range Flash point Evaporation Rate Flammability (Solid, Gas) Flammability Limit in Air	<u>Values</u> 12 Not determined > 100 °C / 212 °F None Same as water Not determined	<u>Remarks • Method</u>	
Upper flammability or explosive limits Lower flammability or explosive limits	Not determined Not determined		
Vapor Pressure Vapor Density Relative Density Water Solubility	Same as water Same as water Not determined Completely soluble		
Solubility in other solvents Partition Coefficient Autoignition temperature Decomposition temperature	Not determined Not determined Not determined Not determined		
Kinematic viscosity Dynamic Viscosity Explosive Properties Oxidizing Properties	Not determined Not determined Not determined Not determined		
Other information VOC Content (%)	50%		

# **10. STABILITY AND REACTIVITY**

#### Reactivity

Not reactive under normal conditions.

#### Chemical stability

Stable under recommended storage conditions.

#### Possibility of hazardous reactions

None under normal processing.

#### Conditions to Avoid

Keep out of reach of children.

#### Incompatible materials

Acids. Organic halogen compounds. Nitromethane. Flammable liquid. Metals such as aluminum, tin, and zinc.

#### Hazardous decomposition products

None known based on information supplied.

# **11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Product Information	
Eye Contact	Avoid contact with eyes.
Skin Contact	Avoid contact with skin.
Inhalation	Avoid breathing vapors or mists. May cause irritation of respiratory tract.
Ingestion	May be harmful if swallowed.

#### Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium Hydroxide	= 7340 mg/kg (Rat)	> 2500 mg/kg (Rat)	-
Sodium hydroxide	= 325 mg/kg (Rat)	= 1350 mg/kg (Rabbit)	-
Proprietary 1	= 27000 mg/kg (Rat)	-	> 5800 mg/m <sup>3</sup> (Rat) 4 h
Proprietary 3	= 1219 mg/kg (Rat)	-	-
Proprietary 4	= 4090 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	-

#### Symptoms related to the physical, chemical and toxicological characteristics

SymptomsMay cause dermatitis or irritation in some individuals upon prolonged contact. May cause<br/>severe chemical burns with reddening and pain. May cause skin and eye irritation. May<br/>cause irritation to the mucous membranes and upper respiratory tract. May cause burns to<br/>mouth and gastrointestinal corrosion.

#### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation	Causes severe skin burns.
Serious eye damage/eye irritation	Causes severe eye damage.

#### Carcinogenicity

This ingredient is a possible carcinogen when it appears as a respirable dust.

Chemical name	ACGIH	IARC	NTP	OSHA
Proprietary 2	A2	Group 1	Known	Х
legend				

Legend

ACGIH (American Conference of Governmental Industrial Hygienists) A2 - Suspected Human Carcinogen IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to Humans NTP (National Toxicology Program)

Known - Known Carcinogen

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

**STOT - repeated exposure** Respirable crystalline silica causes damage to organs (lung effects, immune system effects, and kidney effects) through prolonged or repeated exposure.

#### Numerical measures of toxicity

The following values are calcu	The following values are calculated based on chapter 3.1 of the GHS document				
Oral LD50	3,852.6 mg/kg				
Dermal LD50	6,127.0 mg/kg				

# **12. ECOLOGICAL INFORMATION**

#### Ecotoxicity

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

#### **Component Information**

Chemical name	Algae/aquatic plants	Fish	Crustacea
Sodium hydroxide		45.4: 96 h Oncorhynchus mykiss	
1310-73-2		mg/L LC50 static	

#### Persistence/Degradability

Not determined.

#### **Bioaccumulation**

There is no data for this product.

#### <u>Mobility</u>

Not determined

#### Other Adverse Effects

Not determined

#### **13. DISPOSAL CONSIDERATIONS**

#### Waste Treatment Methods

Disposal of Wastes	Disposal should be in accordance with applicable regional, national and local laws and regulations.
Contaminated Packaging	Disposal should be in accordance with applicable regional, national and local laws and regulations.

#### **California Hazardous Waste Status**

Chemical name	California Hazardous Waste Status
Calcium Hydroxide 1305-62-0	Corrosive
Sodium hydroxide 1310-73-2	Toxic Corrosive

# **14. TRANSPORT INFORMATION**

#### Note

Based on package size, product may be eligible for limited quantity exception.

DOT UN/ID No Proper Shipping Name Hazard class Packing Group	UN1823 Sodium hydroxide, solid, mixture 8 II
<u>IATA</u> UN number Proper Shipping Name Transport hazard class(es) Packing Group	UN1823 Sodium hydroxide, solid, mixture 8 II
<u>IMDG</u> UN number Proper Shipping Name Transport hazard class(es) Packing Group	UN1823 Sodium hydroxide, solid, mixture 8 II

# 15. REGULATORY INFORMATION

#### International Inventories

Chemical name	TSCA	TSCA Inventory Status	DSL/NDSL	EINECS/ELI NCS	ENCS	IECSC	KECL	PICCS	AICS
Calcium Hydroxide	Х	ACTIVE	Х	X	Х	Х	Х	Х	Х
Sodium hydroxide	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Proprietary 1	Х	ACTIVE	Х		Х	Х	Х	Х	Х
Silica, Quartz	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Proprietary 2	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х
Proprietary 3	Х	ACTIVE	Х	Х		Х	Х	Х	Х
Proprietary 4	Х	ACTIVE	Х	Х	Х	Х	Х	Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**IECSC** - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### US Federal Regulations

#### **CERCLA**

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

Chemical name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)			
Sodium hydroxide	1000 lb		RQ 1000 lb final RQ			
1310-73-2			RQ 454 kg final RQ			

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

# CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

	Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Ī	Sodium hydroxide	1000 lb			Х

#### US State Regulations

### **California Proposition 65**

This product contains the following Proposition 65 chemicals.

**Health Hazards** 

3

Chemical name	California Proposition 65	
Silica, Quartz	Carcinogen	

#### U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
Calcium Hydroxide 1305-62-0	X	Х	X
Sodium hydroxide 1310-73-2	X	X	Х
Silica, Quartz 14808-60-7	Х	X	Х

#### **16. OTHER INFORMATION**

Flammability

NFPA

HMIS

Issue Date: **Revision Date: Revision Note:** 

Not determined Not determined **Health Hazards** Flammability 0

01-Jan-2008

17-Apr-2023

Regulatory update

Instability Not determined Physical hazards 0

**Special Hazards** Not determined **Personal Protection** Not determined

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**